

Out of Bounds (Rustington) Ltd

General Risk Assessment for













Bowling



12 lanes of bowling



Reference number	OUT2100135
Assessor	Stuart James
Date completed	13/02/24
Review Schedule	Annually
Review date	13/02/25
Approved date	13/02/24
Approved by	Stuart James
Affected site(s)	Out of Bounds Ltd (BN16 4NB)



Overall risk rating : 4 **Medium**




Hazards and controls

 Hazard: Crushing	
Who can be harmed/how?	Controls in place
<p>Operators</p> <p>Repair and maintenance to the bowling lanes</p>	<p> Isolate machine before accessing interior of machine</p> <p> The power to any machine is isolated before gaining access to the interior of the machine. This involves switching off at the mains and unplugging from the socket</p> <p> Machine loaded correctly</p> <p>The machine balance is checked and sensibly balanced before use</p> <p> Only trained and authorised people operate the equipment/machine</p> <p>Only trained and authorised people operate the equipment/machine. Supervision to ensure that this is monitored at all times</p> <p> Operator mindful of other people in the area whilst operating machine</p> <p>If people are in the immediate vicinity, the operation is stopped</p>
 Hazard: Moving parts of machinery	
Who can be harmed/how?	Controls in place
<p>All Staff, Contractors</p> <p>Machinery breakdowns</p>	<p> Only Competent Persons Can Carry Out The Task</p> <p>Only personnel with sufficient information, instruction and training can carry out the task.</p> <p> Only Competent Persons Can Operate The Equipment</p> <p>Only personnel with sufficient information, instruction and training can operate the equipment.</p> <p> Pre-start Checks Undertaken</p> <p>Pre-start Checks Undertaken</p> <p> Routine Maintenance Undertaken</p> <p>Routine maintenance is undertaken in accordance with the manufacturer's requirements</p> <p> Warning & Information Signage Displayed</p> <p>Relevant warning & information signage displayed relative to the work activity, hazard & risks</p>

 Hazard: Poor Lighting	
Who can be harmed/how?	Controls in place
All Staff, Members of the Public UV Lights and disco lights present	 Ensure adequate lighting levels at all time

 Hazard: Rotating Machinery	
Who can be harmed/how?	Controls in place
All Staff, Contractors, Members of the Public Balls moving on the ball return.	 Safe Working Signage displayed

 Hazard: Slippery Floors	
Who can be harmed/how?	Controls in place
All Staff, Members of the Public Floor slippery past foul line	 Foul Line Lane machine used to clean and oil lanes, buzzer working to ensure users do not step over the line.

 Hazard: Strenuous activity	
Who can be harmed/how?	Controls in place
Members of the Public Causing injury through excessive weight or messing around during play	 Correct bowling ball and technique Team to supervise and advise customers on ball size and technique.  Manual handling training All joiners/machine operators have received training on correct manual handling techniques

Safe operating procedures

Normal Operating Procedure Role Specific Induction Daily Check Sheets

Assessor's signature: Stuart James

Approved by signature: Stuart James