



Out of Bounds (Rustington) Ltd

Risk Assessment for






Laser Tag




30 Phasor Game held in Soft Play

Reference number	OUT2100165
Assessor	Stuart James
Date completed	13/03/25
Review Schedule	Annually
Review date	13/03/26
Approved date	13/03/25
Approved by	Stuart James
Affected site(s)	Out of Bounds Ltd (BN16 4NB)

Overall risk rating : 9 **Medium**


Hazards and controls

 Hazard: Damaged Equipment	
Who can be harmed/how?	Controls in place
<p>Members of the Public</p> <p>Injury from Phasor, Incorrect use of equipment</p>	<p> Any damaged / defective equipment is removed from use immediately</p> <p> Prestart Checks Undertaken Prestart Checks Undertaken</p> <p> Routine Safety Checks Undertaken Routine Safety Checks Undertaken</p> <p> Workers to be trained in the use of monitoring equipment. Equipment to be monitored throughout all games</p>

 Hazard: Fatigue	
Who can be harmed/how?	Controls in place
<p>Members of the Public</p> <p>3 games are standard for Lase Sessions/Parties and if moving for all 3 at speed then fatigue could occur. Personal Illness</p>	<p> Regular Breaks Taken</p> <p> Water to be provided and temperature to be correct. Children to be supervised and advised to rest if needed</p>

Risk rating explanation

Risk ratings are calculated by considering the likelihood of an event occurring along with the severity of the potential consequence should an accident occur. After considering existing control measures, values are assigned to the likelihood and severity from the scales below and these figures multiplied to established the risk rating.



Severity	1	2	3	4	5
5	5	10	15	20	25
4	4	8	12	16	20
3	3	6	9	12	15
2	2	4	6	8	10
1	1	2	3	4	5
Likelihood	1	2	3	4	5

What do your risk ratings mean?

- Risk is categorised as LOW: Look to reduce risk if practicable
- Risk has been categorised as MEDIUM: Begin to plan your action to reduce the risk immediately
- Risk has been categorised as HIGH: Immediate action required to reduce the risk

Safe operating procedures

Normal Operating Procedures Soft Play Daily Checks Phasor Checklist completed prior to use Laser Tag consent form fully completed prior to session

Assessor's signature: Stuart James

Approved by signature: Stuart James